

Vista Research Network

Treatment Effectiveness: Adult, Non-Professional SUD Patients

(Patients in treatment between 1/1/21 & 6/30/23)

Demographics:

- Gender/Age
- Living Arrangements
- Marital Status/Ethnicity
- Employment
- Education
- Patients Location

Why Patients Entered Treatment

Key Life Goals

Drug Use:

- Primary Drug of Choice
- Addiction Severity
- Previous Treatment Episodes
- Medication Supported Recovery

Co-Occurring Disorders at Intake:

- Overall Feeling
- Depression Symptoms (PHQ-9)
- Anxiety Symptoms (GAD-7)
- Trauma Symptoms (PCL-6)
- Eating Disorders (Dr. Eric Stice's EDDS)
- Other Disorders
- Suicidal Thoughts (CSSRS)
- Self-Harming Behavior

Co-Occurring Disorder Improvement During Treatment:

- Depression Symptoms (PHQ-9)
- Anxiety Symptoms (GAD-7)
- Trauma Symptoms (PCL-6)
- Eating Disorders (Dr. Eric Stice's EDDS)
- Suicidal Thoughts (CSSRS)

OMT & Anti-Craving Medication Use During Treatment:

- Happiness Taking Medication
- Medication Usage Differences Between Intake & Last Survey

Treatment Completion Rates:

- All programs
- By Source of Payment
- By OMT or Anti-Craving Medication
- By Program(s) Attended

Patient Satisfaction


Treatment Goals:

- Were patients asked about treatment goals
- Were treatment goals met


Vista Research Network

(among 32,326 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)

Gender




Age Distribution by Sex



Living Arrangements

Vista Research Network


(among 32,326 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)




Vista Research Network

(among 32,326 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)

Marital Status




Ethnicity



Employment

Vista Research Network


(among 32,326 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Highest Education Level

Vista Research Network

(among 32,326 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Where Patients' Live



Vista Research Network

(among 32,326 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)

Patients' Location - Alaska




Patients' Location - Hawaii



What Happened Right Before that Led to Treatment

Vista Research Network


(among 32,326 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Key Life Goals Named At Intake

Vista Research Network


(among 30,819 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



What is Your Primary Drug of Choice?

Vista Research Network

(among 32,239 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)




Fentanyl was added as an option in Nov. 2021

Addiction Severity

Vista Research Network


(among 32,239 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



No. of Previous Treatments

Vista Research Network


(among 32,326 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Percent of Medication Supported Recovery Patients at Intake

Vista Research Network-Intake


(among 32,239 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Overall Feeling at Intake

Vista Research Network


(among 31,456 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Depression Symptoms at Intake (PHQ-9)

Vista Research Network


(among 31,463 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Anxiety Symptoms at Intake (GAD-7)

Vista Research Network


(among 31,463 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Trauma Symptoms at Intake (PCL-6)

Vista Research Network


(among 31,463 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Eating Disorders at Intake

Vista Research Network


(among 32,326 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Suicidal Thoughts and Intentions at Intake

Vista Research Network


(among 32,326 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Presence of Other Issues or Disorders

Vista Research Network


(among 32,326 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Self Harm Symptoms at Intake

Vista Research Network


(among 32,326 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Patient Progress on Depression Symptoms (PHQ-9)

Vista Research Network


(among 24,007 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23 with at least 1 progress survey response)



Patient Progress on Anxiety Symptoms (GAD-7)

Vista Research Network


(among 24,007 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23 with at least 1 progress survey response)



Patient Progress on Trauma Symptoms (PCL-6)

Vista Research Network


(among 24,007 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23 with at least 1 progress survey response)



Patient Progress on Eating Disorders

Vista Research Network


(among 23,982 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23 with at least 1 progress survey response)



Patient Progress on Suicidal Thoughts and Intentions

Vista Research Network


(among 24,755 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23 with at least 1 progress survey response)



Vista Research Network

How Happy Patients Are To Be Taking Medication



(averaged rating of 5,816 adult, non-professional SUD patients in treatment between 1/1/21 & 6/30/23)



Medication Usage Differences Between Intake and Last Survey

Vista Research Network


(among 24,488 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23 who submitted an update survey)



Treatment Completion

Vista Research Network


(among 27,491 adult, non-professional SUD patients discharged from treatment between 1/1/21 and 6/30/23)



Vista Research Network

Treatment Completion Rates by Source of Payment


(among adult, non-professional SUD patients who discharged between 1/1/21 and 6/30/23)



Vista Research Network

Treatment Completion Rates by Medication Taken Prior to Discharge


(among adult, non-professional SUD patients who discharged between 1/1/21 and 6/30/23)



Vista Research Network

Treatment Completion Rates According to Programs Attended


(among adult, non-professional SUD patients who discharged between 1/1/21 and 6/30/23)



Vista Research Network

Treatment Completion Rates According to Programs Attended


(among adult, non-professional SUD patients who discharged between 1/1/21 and 6/30/23)



Vista Research Network

Treatment Completion Rates According to Programs Attended


(among adult, non-professional SUD patients who discharged between 1/1/21 and 6/30/23)



Patient Satisfaction with Treatment

Vista Research Network


(among 111,349 monitoring surveys submitted between 1/1/21 and 6/30/23)



Were Patients Asked About Treatment Goals

Vista Research Network

(among 16,652 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)



Were Your Treatment Goals Met?

Vista Research Network

(among 16,652 adult, non-professional SUD patients in treatment between 1/1/21 and 6/30/23)

